

ADDENDUM #2

PROJECT #: 242429
PROJECT TITLE: E. Kemper Road Improvements and Shared Use Path, Phase 1
CLIENT: City of Springdale
Issue Date: February 27, 2026

This is to certify that you are in receipt of Addendum #1 for the above mentioned project.

Please sign and return via email to: bretzer@verdantas.com

_____	_____	_____
Name/Title	Company	Date

Signature		

CLARIFICATION:

The bid form has been revised as follows:

- Line Item #46 was revised to include 1,800 LF of 644: CHANNELIZING LINE, 8 INCH
- Line Item #48 was revised to include 1,200 LF of 644: DOTTED LINE, 6 INCH

The plan set was revised to include the coversheet that contains the signature of the City Administrator. There were no other changes made to the plan set.



Item No.	Spec. No.	Item	Estimated Quantity	Unit of Measure	Unit Cost Total	Item Cost
ROADWAY IMPROVEMENTS						
1	201	CLEARING AND GRUBBING, AS PER PLAN	1	LS		
2	202	INLET REMOVED	2	EA		
3	202	* CURB REMOVED	200	LF		
4	202	CURB & GUTTER REMOVED	1,473	LF		
5	202	WALK REMOVED	7,721	SF		
6	203	EXCAVATION (INCLUDING EXISTING PAVEMENT REMOVAL, ASSUME 17")	1,384	CY		
7	203	EMBANKMENT	253	CY		
8	251	* PARTIAL DEPTH PAVEMENT REPAIR, AS PER PLAN	397	SY		
9	204	* SUBGRADE REPAIR, MISC.: REMOVAL OF UNCLASSIFIED MATERIAL AND CHOKES WITH 3" - 304	60	CY		
10	253	* PAVEMENT REPAIR, AS PER PLAN	1,457	SY		
11	254	PAVEMENT PLANING, ASPHALT CONCRETE (3") PROFILE MILL	13,249	SY		
12	304	LIMESTONE AGGREGATE BASE (2 - 3" LIFTS ~ SHARED USE PATH)	235	CY		
13	407	NON-TRACKING TACK COAT (0.75 GAL/SY)	1,099	GAL		
14	407	NON-TRACKING TACK COAT (0.05 GAL/SY ~ INTERMEDIATE COURSE)	732	GAL		
15	441	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, (448), PG64-22 (1-1/2")	552	CY		
16	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1. (446), PG64-22, 100% CRUSHED LIMESTONE (1.5")	552	CY		
17	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1 (448), PG64-22 (1-1/4" SHARED USED PATH)	48	CY		
18	441	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2 (3-1/4" SHARED USE PATH)	127	CY		
19	441	ASPHALT DRIVEWAY REMOVAL AND REPLACEMENT, AS PER PLAN	217	SY		
20	452	* NON-REINFORCED CONCRETE PAVEMENT, MISC.: 9" PLAIN PORTLAND CEMENT CONCRETE DRIVEWAY REMOVAL & REPLACEMENT, AS PER PLAN	557	SY		
21	452	11" PLAIN CONCRETE PAVEMENT (BUS PAD)	111	SY		



Item No.	Spec. No.	Item	Estimated Quantity	Unit of Measure	Unit Cost Total	Item Cost
22	530	SPECIAL - STRUCTURE, MISC.: MODULAR RETAINING WALL	35	SF		
23	605	UNDERDRAIN, MISC.: 6" SHALLOW PIPE UNDERDRAIN (AS PER PLAN)	2,841	LF		
24	608	5" CONCRETE WALK	7,790	SF		
25	608	CURB RAMP	1,298	SF		
26	608	DETECTABLE WARNING	180	SF		
27	609	COMBINATION CURB AND GUTTER, TYPE 2, AS PER PLAN	2,841	LF		
28	609	CURB, TYPE 6	556	LF		
29	609	CURB, TYPE 7, AS PER PLAN	320	LF		
30	609	CONCRETE MEDIAN	800	SF		
31	611	12" CONDUIT, TYPE B	17	FT		
32	611	18" CONDUIT, TYPE B	14	FT		
33	611	CATCH BASIN, NO. 3A	1	EA		
34	611	CATCH BASIN, NO. 3	1	EA		
35	611	CATCH BASIN, NO. 3 MODIFIED	1	EA		
36	611	MANHOLE, NO. 3	3	EA		
37	611	DRAINAGE STRUCTURE, MISC.: CONVERT EXISTING CATCH BASIN TO MANHOLE	3	EA		
38	611	* DOWNSPOUT CONDUIT, MISC.: PVC CHEDULE 40 PIPE, 3"	25	LF		
39	611	MANHOLE ADJUSTED TO GRADE (STORM)	8	EA		
40	611	DRAINAGE STRUCTURE, MISC.: CONVERT EX. DB OUTLET STRUCTURE TO MH AND ADD PR. DETENTION BASIN OUTLET STRUCTURE (CB2-4)	1	EA		
41	621	RAISED PAVEMENT MARKERS (RPM), REMOVE AND REPLACE	100	EA		
42	621	RPM, AS PER PLAN	7	EA		



Item No.	Spec. No.	Item	Estimated Quantity	Unit of Measure	Unit Cost Total	Item Cost
43	644	STOP LINE	335	LF		
44	644	CROSSWALK LINE, 24"	729	LF		
45	644	TRANSVERSE/DIAGONAL LINE	50	LF		
46	644	CHANNELIZING LINE, 8 INCH	1,800	LF		
47	644	LANE ARROW	26	EA		
48	644	DOTTED LINE, 6 INCH	1,200	LF		
49	644	CENTERLINE, 4" SOLID DOUBLE	2,270	LF		
50	644	LANE LINE	3,790	LF		
51	614	MAINTAINING TRAFFIC	1	LS		
52	623	CONSTRUCTION LAYOUT STAKES AND SURVEYING, AS PER PLAN	1	LS		
53	624	MOBILIZATION	1	LS		
54	SPL	* NEW MAILBOX & PLACEMENT	4	EA		
55	630	* GROUND MOUNTED SUPPORT, NO. 3 POST	48	LF		
56	630	* SIGN, FLAT SHEET	65	SF		
57	630	* SIGN POST REFLECTOR	11	EA		
58	630	REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL (INCLUDING POST)	11	EA		
59	630	* REMOVAL OF GROUND MOUNTED SIGN AND REERECTION	1	EA		
60	630	REMOVAL OF OVERHEAD MOUNTED SIGN AND DISPOSAL	1	EA		
61	630	SIGNING, MISC.: REUSE OF SIGN ATTACHMENT ASSEMBLY	1	EA		
62	630	REMOVAL OF GROUND MOUNTED SIGN AND DELIVERY (VINEYARDS CHURCH, TO PUBLIC WORKS FACILITY)	1	LS		
63	SPL	SPECIAL - REMOVE EXISTING BUS SHELTER AND INSTALL NEW SHELTER (INCLUDES BENCH AND TRASH RECEPTACLE)	1	LS		
64	SPL	SPECIAL - STRUCTURE, MISC.: MODULAR RETAINING WALL	35	SF		



Item No.	Spec. No.	Item	Estimated Quantity	Unit of Measure	Unit Cost Total	Item Cost
65	SPL	* MANHOLE ADJUSTED TO GRADE, SANITARY SEWER MANHOLE ADJUSTED TO GRADE; AS PER PLAN; LABOR AND MATERIAL	2	EA		
66	SPL	* MANHOLE REPAIRED AND ADJUSTED TO GRADE, SANITARY MANHOLE. AS PER PLAN; LABOR AND MATERIAL	1	EA		
67	SPL	* BRICK MASONRY MANHOLE REPAIR, SANITARY SEWER MANHOLE, AS PER PLAN; LABOR AND MATERIAL	1	EA		
68	SPL	MANHOLE ADJUSTED TO GRADE, TELEPHONE	1	EA		
69	SPL	MANHOLE ADJUSTED TO GRADE, GCWW	6	EA		
70	SPL	MANHOLE ADJUSTED TO GRADE, ELECTRIC	1	EA		
71	SPL	* CONTIGENCY / DISCRETIONARY ALLOWANCE	1	LS	\$10,000.00	\$10,000.00
SUBTOTAL - ROADWAY IMPROVEMENTS:						
TRAFFIC SIGNAL						
72	625	CONNECTION, FUSED PULL APART	4	EA		
73	625	CONNECTION, UNFUSED PULL APART	8	EA		
74	625	CONNECTION, UNFUSED PERMANENT	4	EA		
75	625	BRACKET ARM, 15', AS PER PLAN	1	EA		
76	625	BRACKET ARM, 25', AS PER PLAN	2	EA		
77	625	BRACKET ARM, 30', AS PER PLAN	1	EA		
78	625	NO. 8 AWG 600 VOLT DISTRIBUTION CABLE	1,473	LF		
79	625	NO. 10 AWG POLE AND BRACKET CABLE	645	LF		
80	625	CONDUIT, 2", 725.051	57	LF		
81	625	CONDUIT, 4", 725.052	95	LF		
82	625	CONDUIT, JACKED OR DRILLED, 725.052, 4"	491	LF		
83	625	LUMINAIRE, CONVENTIONAL, SOLID STATE (LED), AS PER PLAN (120V, TYPE III DISTRIBUTION)	4	EA		



Item No.	Spec. No.	Item	Estimated Quantity	Unit of Measure	Unit Cost Total	Item Cost
84	625	TRENCH, 24" DEEP	121	LF		
85	625	PULL BOX, 725.08, 24"	5	EA		
86	625	GROUND ROD	8	EA		
87	630	SIGN HANGER ASSEMBLY, MAST ARM	13	EA		
88	630	SIGN ATTACHMENT ASSEMBLY, MAST ARM	2	EA		
89	630	SIGN, FLAT SHEET	129.5	SF		
90	632	VEHICULAR SIGNAL HEAD, (LED), 3-SECTION, 12" LENS, 1-WAY, POLYCARBONATE, BLACK	16	EA		
91	632	VEHICULAR SIGNAL HEAD, (LED), 5-SECTION, 12" LENS, 1-WAY, POLYCARBONATE, AS PER PLAN, BLACK	3	EA		
92	632	PEDESTRIAN SIGNAL HEAD (LED), TYPE D2, COUNTDOWN, AS PER PLAN	6	EA		
93	632	PEDESTRIAN PUSHBUTTON	6	EA		
94	632	COVERING OF VEHICULAR SIGNAL HEAD	19	EA		
95	632	COVERING OF PEDESTRIAN SIGNAL HEAD	6	EA		
96	632	SIGNAL CABLE, 5 CONDUCTOR, NO. 14 AWG	1,398	LF		
97	632	SIGNAL CABLE, 7 CONDUCTOR, NO. 14 AWG	3,253	LF		
98	632	SIGNAL SUPPORT FOUNDATION	4	EA		
99	632	PEDESTAL FOUNDATION	3	EA		
100	632	LOOP DETECTOR LEAD-IN CABLE, 2 CONDUCTOR, NO. 14 AWG	1,368	FT		
101	632	POWER CABLE, 3 CONDUCTOR, NO. 10 AWG	127	LF		
102	632	POWER SERVICE, AS PER PLAN	1	EA		
103	632	CONDUIT RISER, 2" DIAMETER	1	EA		
104	632	SIGNAL SUPPORT, TYPE TC-81.22, DESIGN 14, AS PER PLAN	4	EA		
105	632	PEDESTAL, 8', TRANSFORMER BASE	3	EA		



Item No.	Spec. No.	Item	Estimated Quantity	Unit of Measure	Unit Cost Total	Item Cost
106	632	REMOVAL OF TRAFFIC SIGNAL INSTALLATION, AS PER PLAN	1	EA		
107	633	CABINET, TYPE TS-2, AS PER PLAN	1	EA		
108	633	CABINET FOUNDATION, AS PER PLAN	1	EA		
109	633	CONTROLLER WORK PAD	1	EA		
110	633	UNINTERRUPTIBLE POWER SUPPLY (UPS), 1000 WATT, AS PER PLAN	1	EA		
111	809	STOP LINE RADAR DETECTION, AS PER PLAN	4	EA		
112	809	CCTV IP-CAMERA SYSTEM, DOME-TYPE, AS PER PLAN	1	EA		
113	804	FIBER OPTIC CABLE, MISC.: MODIFY EXISTING SPLICE ENCLOSURE	1	EA		
114	804	FIBER TERMINATION PANEL, 12 FIBER	1	EA		
115	804	DROP CABLE, 12 FIBER	119	FT		
116	809	ITS DEVICE, MISC.: ETHERNET SWITCH WITH GIGABIT UPLINK	1	EA		
117	809	ATC CONTROLLER, AS PER PLAN	1	EA		
118	632	SIGNALIZATION, MISC.: VACUUM EXCAVATION OF FOUNDATION	1	EA		
SUBTOTAL - TRAFFIC SIGNAL:						
GCWW						
119	1101	FURNISHING AND LAYING 6" DUCTILE IRON PIPE AND FITTINGS	70	LF		
120	1101	FURNISHING AND LAYING 12" DUCTILE IRON PIPE AND FITTINGS	25	LF		
121	1110	CONCRETE, CLASS "C"	2	CY		
122	1112	FURNISHING AND INSTALLING FIRE HYDRANT	1	EA		
123	1113	RELOCATING EXISTING FIRE HYDRANT	1	EA		
124	1114	REMOVING FIRE HYDRANT	1	EA		



Item No.	Spec. No.	Item	Estimated Quantity	Unit of Measure	Unit Cost Total	Item Cost
125	1115	FURNISHING AND INSTALLING FIRE HYDRANT EXTENSION, 12" LONG	2	EA		
126	1116	FURNISHING AND INSTALLING VALVE BOX COMPLETE	2	EA		
127	1119	* ADDITIONAL EXCAVATION	5	CY		
128	1120	* EXPLORATORY EXCAVATION	5	CY		
129	1122	REMOVING EXISTING VALVE BOX	2	EA		
130	1126	FURNISHING AND INSTALLING 2" COPPER SERVICE PIPE W/ AQUA SHIELD	32	LF		
131	1130	DISCONNECTING EXISTING 3/4" SERVICE BRANCH	2	EA		
132	1134	RELOCATING EXISTING 2" FROST-PROOF METER SETTING	1	EA		
133	1138	REMOVING CURB AND ROADWAY BOX	2	EA		
134	1131	FURNISHING AND INSTALLING CURB AND ROADWAY BOX	1	EA		
135	1125	RESETTING EXISTING VALVE BOX, COMPLETE	12	EA		
136	509	REINFORCING STEEL	326	LBS		
137	602	* BRICK MASONRY	1	CY		
138	604	ADJUST EXISTING VALVE CHAMBER TO GRADE	9	EA		
139	637	* SHEETING AND BRACING ORDERED LEFT IN PLACE	1	EA		
140	638	REMOVE EXISTING METER SETTING	1	EA		
SUBTOTAL - GCWW:						
PROJECT TOTAL:						