

VILLAGE OF HARTVILLE



2025 PAVING PROGRAM

CONTRACT A

KING CHURCH AVE, LAKE CENTER ST, STEFFY AVE, ROBSON AVE, AND ALLEYS

STARK COUNTY, OHIO

Sheet List Table	
Sheet Number	Sheet Title
1	COVER SHEET
2	GENERAL NOTES
3	DETAILS
4	STEFFY AVE
5	ROBSON AVE & ALLEYS
6	KING CHURCH AVE
7	LAKE CENTER ST - 1
8	LAKE CENTER ST - 2



LOCATION MAP
NOT TO SCALE

VILLAGE OF HARTVILLE OFFICIALS

CINDY BILLINGS – MAYOR
ERIC WILLIAMS – SOLICITOR
SCOTT VARNEY – FISCAL OFFICER

COUNCIL

KELLY REIS
STEVE REISCH
TOM HOUGH
JIM SULLIVAN
FRANK GRANT
TIM HAYDEN

BOARD OF PUBLIC AFFAIRS

FOREST MILLER
NORM ANDERSON
SHARI CHAMBERS



OUPS ONE CALL-UTILITY LIST:

CANTON WATER DEPARTMENT
2664 HARRISBURG RD. N.E.
CANTON, OHIO 44705-7904
ATTN: ENGINEERING OFFICE
PHONE: (330) 489-3310
ATTN: LEWIS MILLER
lewis.miller@cantonohio.gov

FIRST ENERGY
3601 RIDGE ROAD
CLEVELAND, OH 44102
ATTN: JOHN ZASSICK
PHONE: (440) 546-8706
jmzassick@firstenergycorp.com

ENBRIDGE GAS (FORMERLY DOMINION ENERGY)
320 SPRINGSIDE DRIVE, SUITE 320
AKRON, OH 44333
PHONE: (330) 664-2409
relocation@dominionenergy.com

SPECTRUM/CHARTER
7820 DIVISION DR.
MENTOR, OH 44060
ATTN: ROB ZELKO
PHONE: (330) 633-9203
ROB.ZELKO@charter.com

AT&T
13630 LORAIN AVE 2ND FLOOR
CLEVELAND, OH 44111
ATTN: JAMES JANIS
PHONE: (216)-476-6142
PJ8191@att.com

1. UNDERGROUND BUILDING SERVICE UTILITY LINES ARE NOT SHOWN ON THE PLANS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING, MAINTAINING AND REPLACING AS NECESSARY TO ENSURE CONTINUAL SERVICE TO BUILDINGS.
2. THE CONTRACTOR IS RESPONSIBLE TO CALL OHIO UTILITIES PROTECTION SERVICE @ 1-800-362-2764, THREE WORKING DAYS PRIOR TO CONSTRUCTION.



ENGINEERS SEAL:

SIGNED:

DATE: 10/08/24

ENGINEER'S PROJECT No. 23010503

GENERAL NOTES

MANHOLES, CATCH BASINS, MONUMENT BOXES, WATER VALVE BOXES AND OTHER STREET CASTINGS WILL BE RAISED OR LOWERED FLUSH WITH THE NEW SURFACE. ANY METER OR VALVE BOX ENCOUNTERED WITHIN THE WORK SITE SHALL BE EXPOSED. PAYMENT FOR THIS WORK SHALL BE INCLUDED IN THE UNIT PRICE BID FOR OTHER ITEMS OF WORK EXCEPT WHEN BID AS A SEPARATE ITEM.

THE CONTRACTOR SHALL PRESERVE ALL CORNERSTONES, IRON PINS, CONCRETE MONUMENTS, OR ANY TYPE OF LAND MONUMENT. HE SHALL HAVE ALL MONUMENTS IN THE PROXIMITY OF THE WORK REFERENCED. HE SHALL REPLACE DESTROYED OR DAMAGED MONUMENTS AND SHALL FURNISH A CERTIFICATION BY A REGISTERED SURVEYOR THAT THE MONUMENTS HAVE BEEN RESTORED.

BEFORE THE VILLAGE WILL APPROVE AND ACCEPT THE WORK AND RELEASE THE GUARANTY RETAINER, THE CONTRACTOR SHALL FURNISH THE VILLAGE A WRITTEN REPORT INDICATING THE RESOLUTION OF ANY AND ALL PROPERTY DAMAGE CLAIMS FILED WITH THE CONTRACTOR BY ANY PARTY DURING THE CONSTRUCTION PERIOD. THE INFORMATION TO BE SUPPLIED SHALL INCLUDE, BUT NOT BE LIMITED TO, NAME OF CLAIMANT, DATE FILED WITH CONTRACTOR, NAME OF INSURANCE COMPANY AND/OR ADJUSTER HANDLING CLAIM, HOW CLAIM WAS RESOLVED AND IF CLAIM WAS NOT RESOLVED FOR THE FULL AMOUNT, A STATEMENT INDICATING THE REASON FOR SUCH ACTION.

THE CONTRACTOR SHALL PERFORM WORK AS TO NOT DISTURB, DAMAGE OR DESTROY ANY MAILBOX, PAPERBOX, TELEPHONE OR POWER POLES, SIGNS, SHRUBS, LANDSCAPING ITEMS, UNDERGROUND UTILITIES, ETC. ANY ITEM DAMAGED OR DESTROYED SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE. ANY ITEM DISTURBED OR IN CONFLICT WITH THE WORK TO BE PERFORMED SHALL BE REMOVED AND RESET AT THE CONTRACTOR'S EXPENSE. PRIOR ENGINEER APPROVAL IS REQUIRED BEFORE ANY OF THE ABOVE ITEMS ARE PERFORMED.

IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO APPLY WHEN ORDERED BY THE OWNER WATER OR CALCIUM CHLORIDE FOR THE ALLEVATION OR PREVENTION OF DUST NUISANCE ORIGINATING FROM HIS CONSTRUCTION ACTIVITIES. SUFFICIENT QUANTITIES OF CALCIUM CHLORIDE SHALL BE STORED ON THE JOB SITE AT ALL TIMES TO BE USED FOR DUST CONTROL. THE COST OF DUST CONTROL SHALL BE INCLUDED IN THE UNIT BID PRICES FOR ALL ITEMS OF THE PROPOSAL.

ALL PAVEMENT REMOVAL AND REPLACEMENT, NEW PAVEMENT AND ASSOCIATED ROADWAY WORK SHALL BE IN ACCORDANCE WITH THE STATE OF OHIO DEPARTMENT OF TRANSPORTATION, HEREINAFTER REFERRED TO AS "ODOT", CONSTRUCTION AND MATERIAL SPECIFICATIONS, STANDARD CONSTRUCTION DRAWINGS AND SUPPLEMENTAL SPECIFICATIONS, 2023 EDITION, WITH THE MODIFICATIONS AS SET FORTH IN THESE SPECIFICATIONS.

THE CONTRACTOR SHALL NOTIFY THE VILLAGE OF HARTVILLE POLICE AND FIRE DEPARTMENTS AT LEAST 24 HOURS IN ADVANCE OF ANY STREET CLOSING OR TRAFFIC CHANGE.

BENCH MARKS WHICH ARE GIVEN HEREIN ARE BASED ON USGS

THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS BEFORE INSTALLING ANY PROPOSED MANHOLES, CATCH BASINS OR CONDUIT. ANY ADJUSTMENTS NEEDED SHALL BE APPROVED BY THE ENGINEER.

EXISTING SEWER AND WATER SERVICE CONNECTIONS SHALL BE PROTECTED AND MAINTAINED IN SERVICE. ANY EXISTING WATER, SANITARY SEWER, AND GAS LINE, IN OR OUTSIDE OF THE CONSTRUCTION LIMITS, DAMAGED DURING CONSTRUCTION OF THE PROPOSED PROJECT, WILL BE REPLACED AT THE CONTRACTOR'S EXPENSE.

IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO NOTIFY THE ENGINEER FORTY-EIGHT (48) HOURS IN ADVANCE OF BEGINNING WORK WHICH REQUIRES COMPACTION TESTING AND/OR PRE-POUR INSPECTION PRIOR TO PLACEMENT OF PAVEMENT. WORK WILL NOT BEGIN UNTIL TESTING AND/OR INSPECTION HAS BEEN COMPLETED AND APPROVED BY THE ENGINEER.

ALL NEW CONDUITS, INLETS, CATCH BASINS, AND MANHOLES CONSTRUCTED AS A PART OF THE PROJECT SHALL BE FREE OF ALL FOREIGN MATTER AND IN A CLEAN CONDITION BEFORE THE PROJECT WILL BE ACCEPTED BY THE VILLAGE.

ALL EXISTING SEWERS INSPECTED SHALL BE MAINTAINED AND LEFT IN A CONDITION REASONABLY COMPARABLE TO THAT DETERMINED BY THE ORIGINAL INSPECTION PRIOR TO CONSTRUCTION. ANY CHANGE IN THE CONDITION RESULTING FROM THE CONTRACTOR'S OPERATIONS SHALL BE CORRECTED BY THE CONTRACTOR TO THE SATISFACTION OF THE ENGINEER.

COST OF CLEARING AND GRUBBING, TREE REMOVAL, REMOVAL OF EXISTING PAVEMENT, SIDEWALK, CURB, MANHOLES, CATCH BASINS, FIRE HYDRANTS OR OTHER STRUCTURES ARE TO BE INCLUDED IN THE UNIT PRICE BID FOR ALL ITEMS IN THE PROPOSAL UNLESS LISTED AS A SEPARATE PAY ITEM.

ALL SOIL AREAS DISTURBED SHALL BE TOPSOILED (4" THICK COMPACTED), SEEDED AND MULCHED. ALL TOPSOIL WORK SHALL BE INCLUDED IN THE UNIT BID PRICES FOR ALL ITEMS OF THE PROPOSAL.

EXISTING UTILITIES
EACH CONTRACTOR SHALL VISIT THE SITE PERSONALLY TO ASCERTAIN THE NATURE OF THE WORK AND THOROUGHLY FAMILIARIZE HIMSELF WITH THE SITE PRIOR TO BID SUBMISSION.

THE LOCATIONS OF THE UNDERGROUND UTILITIES ARE NOT SHOWN ON THE PLANS. CONTRACTOR TO LOCATE UTILITIES WITH UTILITY PROVIDER IF NECESSARY.

THE DATA SHALL BE VERIFIED IN THE FIELD BY THE CONTRACTOR. THE EXISTENCE OF FACILITIES ABOVE OR BELOW GROUND, WHICH MAY NOT BE SHOWN, WILL NOT BE A BASIS FOR A CLAIM FOR EXTRA WORK.

BEFORE ANY WORK IS STARTED THAT WILL INTERFERE WITH THE EXISTING UTILITIES, THE CONTRACTOR SHALL CALL THE "OHIO UTILITIES PROTECTION SERVICE", AT 1-800-362-2764, FORTY-EIGHT (48) HOURS IN ADVANCE OF THE WORK. NON-MEMBER UTILITIES MUST BE CONTACTED DIRECTLY.

THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS, AT NO ADDITIONAL EXPENSE TO THE VILLAGE OF HARTVILLE, TO AVOID DAMAGE TO EXISTING UNDERGROUND AND OVERHEAD UTILITY LINES DURING THE ENTIRE PROJECT. IN THE EVENT OF DAMAGE TO EXISTING PUBLIC AND/OR PRIVATE UTILITIES, THE AGENCY CONCERNED SHALL BE NOTIFIED IMMEDIATELY AND ALL REPAIR WORK SHALL BE EXECUTED IN ACCORDANCE WITH THE SPECIFICATIONS OF THE RESPECTIVE AGENCY AT NO ADDITIONAL EXPENSE TO THE VILLAGE OF HARTVILLE, INCLUDING ANY INSPECTION FEES OR MAINTENANCE CREWS.

THE UTILITIES WITHIN THE LIMITS OF THIS PROJECT ARE LISTED ON THE TITLE SHEET.

WHERE EXISTING POWER OR TELEPHONE POLES ARE IN CLOSE PROXIMITY TO WORK, THE CONTRACTOR SHALL COORDINATE HIS WORK EFFORTS WITH THOSE OF THE UTILITY COMPANIES SUCH THAT THE MAINTENANCE OF THEIR EXISTING FACILITIES CAN BE MAINTAINED AND PROTECTED DURING THE TIME WORK IS GOING ON ADJACENT TO THE POLE.

THE COST FOR ANY REQUIRED PROTECTION OR RELOCATION OF EXISTING POWER OR TELEPHONE POLES OR NATURAL GAS LINES SHALL NOT BE THE RESPONSIBILITY OF THE VILLAGE OF HARTVILLE.

DELAYS TO THE CONTRACTOR AS A RESULT OF TIMING OF POLE RELOCATION OR PROTECTION OR NATURAL GAS LINE RELOCATION/REPLACEMENT SHALL NOT BE CONSIDERED COMPENSABLE DELAYS, AS IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO COORDINATE HIS WORK IN CONFORMANCE TO THE UTILITY COMPANY'S SCHEDULE.

WHERE PLANS PROVIDE FOR A PROPOSED CONDUIT TO BE CONNECTED TO, OR CROSS OVER OR UNDER AN EXISTING SEWER OR UNDERGROUND UTILITY, THE CONTRACTOR SHALL LOCATE THE EXISTING PIPES OR UTILITIES BOTH AS TO LINE AND GRADE BEFORE STARTING TO LAY THE PROPOSED CONDUIT.

IF IT IS DETERMINED THAT THE ELEVATION OF THE EXISTING CONDUIT, OR EXISTING APPURTENANCE TO BE CONNECTED, DIFFERS FROM THE PLAN ELEVATION OR RESULTS IN A CHANGE IN THE PLAN CONDUIT SLOPE, THE ENGINEER SHALL BE NOTIFIED BEFORE STARTING CONSTRUCTION OF ANY PORTION OF THE PROPOSED CONDUIT WHICH WILL BE AFFECTED BY THE VARIANCE IN THE EXISTING ELEVATIONS.

IF IT IS DETERMINED THAT THE PROPOSED CONDUIT WILL INTERSECT AN EXISTING SEWER OR UNDERGROUND UTILITY IF CONSTRUCTED AS SHOWN ON THE PLAN, THE ENGINEER SHALL BE NOTIFIED BEFORE STARTING CONSTRUCTION OF ANY PORTION OF THE PROPOSED CONDUIT WHICH WOULD BE AFFECTED BY THE INTERFERENCE WITH AN EXISTING FACILITY.

EXISTING ROOF DRAINS, FOOTER DRAINS, OR YARD DRAINS, DISTURBED BY THE WORK, SHALL BE PROVIDED WITH UNOBSTRUCTED OUTLETS BY CONNECTING A CONDUIT THROUGH THE CURB OR INTO A DRAINAGE STRUCTURE. THE LOCATION, TYPE, SIZE AND GRADE OF THE NEW CONDUIT REQUIRED TO REPLACE OR EXTEND THE EXISTING DRAIN WILL BE DETERMINED BY THE ENGINEER. THIS WORK SHALL BE INCLUDED IN THE UNIT PRICE BID FOR ALL ITEMS OF THE PROPOSAL.

ANY ACTIVE CONNECTION TO A SANITARY SEWER ENCOUNTERED DURING CONSTRUCTION SHALL BE RECONNECTED TO THE EXISTING SANITARY SEWER TO THE SATISFACTION OF THE ENGINEER.

STORM SEWER

ALL PIPE USED FOR STORM SEWER INSTALLATION ON THIS PROJECT SHALL CONFORM TO ODOT ITEM 611 - CONDUIT TYPE B - REINFORCED CONCRETE CIRCULAR PIPE OR POLYVINYL CHLORIDE CORRUGATED SMOOTH INTERIOR PIPE.

ALL EXISTING STORM DRAINAGE PIPING ENCOUNTERED DURING CONSTRUCTION SHALL BE CONNECTED INTO THE NEW STORM SEWER, CONNECTING A CONDUIT THROUGH THE CURB OR INTO A DRAINAGE STRUCTURE OR ABANDONED, AS DIRECTED BY THE ENGINEER. COST TO BE INCLUDED IN THE UNIT PRICE BID FOR ALL ITEMS OF THE PROPOSAL. THIS INCLUDES DOWNSPOUT CONNECTIONS FROM EXISTING BUILDINGS.

CONTRACTOR TO PROTECT ALL SEWER STRUCTURES AND CLEAN ALL SEWER STRUCTURES PRIOR TO LEAVING SITE. COST FOR REPLACING ANY DAMAGED STRUCTURES DURING CONSTRUCTION OR ANY CLEANING RELATED TO CONSTRUCTION ACTIVITIES IS INCIDENTAL TO THE PAVING ITEMS.

MAINTENANCE OF TRAFFIC
PRIOR TO THE PRE-CONSTRUCTION MEETING, THE CONTRACTOR SHALL SUBMIT A PROPOSED PROJECT CONSTRUCTION SCHEDULE AND A DETAILED MAINTENANCE OF TRAFFIC PLAN TO THE VILLAGE OF HARTVILLE. BOTH THE SCHEDULE AND MAINTENANCE OF TRAFFIC PLAN SHALL BE APPROVED BY THE VILLAGE PRIOR TO THE START OF CONSTRUCTION. COST OF THIS WORK TO BE INCLUDED IN THE UNIT PRICE BID FOR ITEM 614 - MAINTAINING TRAFFIC. MAINTAINING TRAFFIC SHALL BE IN ACCORDANCE WITH ODOT ITEM 614 AND THE OHIO MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES.

ONE LANE LOCAL ACCESS TO ALL ABUTTING PROPERTIES SHALL BE MAINTAINED AT ALL TIMES. ACCESS TO ALL DRIVEWAYS SHALL ALSO BE MAINTAINED AT ALL TIMES EXCEPTING THE TIME WHEN CONCRETE CURB OR DRIVE APRONS ARE CURING.

CONTINGENCY QUANTITIES
THE FOLLOWING ITEMS OF WORK HAVE BEEN INCLUDED AS CONTINGENCY QUANTITIES ON THE PROJECT BID FORM:

ITEM 611 15" CONDUIT, TYPE B 50 FOOT


ITEM 611 CATCH BASIN ADJUSTED TO GRADE, AS PER PLAN 4 EACH

ITEM 611 MANHOLE ADJUSTED TO GRADE, AS PER PLAN 4 EACH

THE VILLAGE OF HARTVILLE IS EXPECTED TO INSTALL 15" CONDUIT IF NECESSARY AND MAKE ADJUSTMENTS TO CATCH BASINS AND MANHOLES PRIOR TO THE WORK. HOWEVER, IF THE VILLAGE DOES NOT, CONTRACTOR SHOULD PLAN TO MAKE ADJUSTMENTS.

CONTRACTOR TO MATCH SANITARY/STORM SEWER STRUCTURES RIM ELEVATION WHEN INSTALLING SURFACE COURSE. STRUCTURES HIGHER OR LOWER THAN SURFACE COURSE WILL NOT BE ACCEPTED. IF DETERMINED IN THE FIELD AND APPROVED BY ENGINEER TO ADJUST STRUCTURES, THE CONTRACTOR WILL BE COMPENSATED PER THE CONTINGENCY ITEM UNIT COST ESTABLISHED ABOVE.


	NO	REVISION	DATE	VILLAGE OF HARTVILLE CONTRACT A PAVING PROGRAM	ISSUED FOR:	REVIEW	GENERAL NOTES	PROJECT NO. 23010503	
					ISSUE DATE:	MAY 2025		DISCIPLINE CIVIL	
					SCALE:	AS NOTED		SHEET NAME GN	
					DESIGNED BY:	JCR		SHEET	OF
					DRAWN BY:	JCR		2	8
					CHECKED BY:	SAA			
				STARK COUNTY	VILLAGE OF HARTVILLE, OHIO				



- ① PAVEMENT PLANING (3" AVERAGE)
- ② 1-1/4" ASPHALT CONCRETE SURFACE COURSE TYPE 1, (448), AS PER PLAN
- ③ 1-3/4" ASPHALT CONCRETE INTER MEDIATE COURSE TYPE 2, (448), AS PER PLAN
- ④ NON-TRACKING TACK COAT FOR INTERMEDIATE COURSE, 0.07 GAL/SY
- ⑤ EXISTING CURB AND GUTTER - SURFACE COURSE ELEVATION TO MEET TOE OF GUTTER ELEVATION

TYPICAL SECTION

SCALE: NONE




NOTES:

- 1. BOTH THE EXISTING AND MILLED BASE PAVEMENT SHALL BE CLEANED TO A BROOM-CLEAN CONDITION.
- 2. TACK COAT SHALL BE APPLIED TO THE EXISTING ASPHALT SURFACE AND ALL SIDES OF PATCH.
- 3. A SEALANT SHALL BE APPLIED ALONG ALL EDGES WHERE NEW ASPHALT MEETS EXISTING ASPHALT.

OVERLAY BUTT JOINT DETAIL

SCALE: NONE




NOTES:

- 1. ASPHALT PAVEMENT TO BE REMOVED SHALL BE SAW CUT IN A NEAT AND STRAIGHT LINE AT THE LIMITS SHOWN ON THE PLANS OR AS FIELD MARKED BY THE ENGINEER. ADDITIONAL SAW CUTS MAY BE DESIRED TO FACILITATE REMOVAL, BUT THERE WILL BE NO EXTRA PAYMENT.
- 2. PAVEMENT SHALL BE REMOVED WITHOUT DAMAGING OR UNDERMINING THE PAVEMENT TO REMAIN. IF ADJACENT PAVEMENT IS DAMAGED, THE CONTRACTOR SHALL MAKE ADDITIONAL SAW CUTS, REMOVE THE DAMAGED AREAS AND REPAIR AS NECESSARY WITH NO ADDITIONAL COMPENSATION.
- 3. TACK COAT SHALL BE APPLIED TO THE EXPOSED EX. ASPHALT BASE COURSE AND ALL SIDES OF PATCH.
- 4. ODOT ITEM 705.04 JOINT SEALANT SHALL BE APPLIED AROUND THE EDGE OF PATCH.

PAVEMENT REPAIR DETAIL

SCALE: NONE



NOTES:


- 1. REMOVE FRAME AND CASTING.
- 2. CLEAN SURFACES OF FRAME, CASTING AND PRECAST MANHOLE. REMOVE RUST, DEBRIS AND LOOSE MORTAR.
- 3. CLEAN SURFACES OF ADJUSTMENT RINGS OR BRICKS. REMOVE LOOSE BRICK AND MORTAR. IF EXCESSIVE BRICK DAMAGE, REPLACE WITH NEW ADJUSTMENT RINGS.
- 4. APPLY PRIMER AND SEALANT (I.E. FLEX-SEAL) TO MANHOLE ADJUSTMENT RINGS. THICKNESSES SHALL BE PER MANUFACTURER'S RECOMMENDATION. APPLY TO ENTIRE SURFACE OF ADJUSTMENT RINGS, AS WELL AS MANHOLE STRUCTURE AND CASTING AT LEAST 3 inch ABOVE AND BELOW ADJUSTMENT RINGS. ALLOW PRIMER TO CURE PRIOR TO APPLYING SEALANT.

ADJUST MANHOLE CASTING & REHABILITATE ADJUSTMENT RING DETAIL

SCALE: NONE

Full Depth Pavement Repair

Area (SY)	
King Church Ave	1192.9
Lake Center St	747.3
Steffy	1493.6
Robson	181.1
Alley W	260.9
Alley E	149.4



NOTE: SET CASTING 2" BELOW ROADWAY GUTTER GRADE.

CATCH BASIN ADJUSTED TO GRADE DETAIL

verdantas

VILLAGE OF HARTVILLE
CONTRACT A
PAVING PROGRAM

STARK COUNTY


VILLAGE OF HARTVILLE, OHIO


ISSUED FOR:	REVIEW
ISSUE DATE:	MAY 2025
SCALE:	AS NOTED
DESIGNED BY:	JCR
DRAWN BY:	JCR
CHECKED BY:	SAA


DETAILS


PROJECT NO.	
23010503	
DISCIPLINE	
CIVIL	
SHEET NAME	
DET	
SHEET	OF
3	8


LEGEND


 EXISTING CATCH BASIN


 EXISTING STORM MANHOLE INLET

 EXISTING WATER VALVE BOX

 EXISTING SANITARY MANHOLE


 MILL & FILL



 FULL DEPTH PAVEMENT REPLACEMENT

 APPROXIMATE LOCATION, TO BE FIELD DETERMINED

20'0'20'

SCALE: 1" = 20'







NO	REVISION	DATE

VILLAGE OF HARTVILLE
CONTRACT A
PAVING PROGRAM

STARK COUNTY


VILLAGE OF HARTVILLE, OHIO


ISSUED FOR:	REVIEW
ISSUE DATE:	MAY 2025
SCALE:	AS NOTED
DESIGNED BY:	JCR
DRAWN BY:	JCR
CHECKED BY:	SAA


KING CHURCH AVE


PROJECT NO.	
23010503	
DISCIPLINE	
CIVIL	
SHEET NAME	
KC	
SHEET	OF
4	8


LEGEND


 EXISTING CATCH BASIN


 EXISTING STORM MANHOLE INLET




 EXISTING WATER VALVE BOX

 EXISTING SANITARY MANHOLE

 MILL & FILL


 FULL DEPTH PAVEMENT REPLACEMENT


 APPROXIMATE LOCATION, TO BE FIELD DETERMINED





	NO	REVISION	DATE	<div>VILLAGE OF HARTVILLE CONTRACT A PAVING PROGRAM</div> <div>STARK COUNTY</div> <div>VILLAGE OF HARTVILLE, OHIO</div>	ISSUED FOR:	REVIEW	<div>LAKE CENTER ST - 1</div>	PROJECT NO.	
					ISSUE DATE:	MAY 2025		23010503	
					SCALE:	AS NOTED		DISCIPLINE	
					DESIGNED BY:	JCR		CIVIL	
					DRAWN BY:	JCR		SHEET NAME	
					CHECKED BY:	SAA		LC - 1	
							SHEET	OF	
							5	8	


LEGEND


 EXISTING CATCH BASIN

 EXISTING STORM MANHOLE INLET

 EXISTING WATER VALVE BOX

 EXISTING SANITARY MANHOLE


 MILL & FILL



 FULL DEPTH PAVEMENT REPLACEMENT

APPROXIMATE LOCATION, TO BE FIELD DETERMINED

20'0'20'

SCALE: 1" = 20'







NO	REVISION	DATE

VILLAGE OF HARTVILLE
CONTRACT A
PAVING PROGRAM


STARK COUNTY

VILLAGE OF HARTVILLE, OHIO

ISSUED FOR:	REVIEW
ISSUE DATE:	MAY 2025
SCALE:	AS NOTED
DESIGNED BY:	JCR
DRAWN BY:	JCR
CHECKED BY:	SAA

LAKE CENTER ST - 2


PROJECT NO.	
23010503	
DISCIPLINE	
CIVIL	
SHEET NAME	
LC - 2	
SHEET	OF
6	8




	NO	REVISION	DATE	VILLAGE OF HARTVILLE CONTRACT A PAVING PROGRAM	ISSUED FOR:	REVIEW	STEFFY AVE	PROJECT NO. 23010503	
					ISSUE DATE:	MAY 2025		DISCIPLINE CIVIL	
					SCALE:	AS NOTED		SHEET NAME STEFFY	
					DESIGNED BY:	JCR		SHEET	OF
					DRAWN BY:	JCR		7	8
					CHECKED BY:	SAA			
				STARK COUNTY	VILLAGE OF HARTVILLE, OHIO				

H:\0203\23010503\DWG\ADDITIONAL PAVING AREA\23010503A - SHEETS DWG - STEFFY - 43002025 3:05:39 PM - JOSH ROHRBACH


LEGEND




EXISTING CATCH BASIN




EXISTING STORM MANHOLE INLET




EXISTING WATER VALVE BOX




EXISTING SANITARY MANHOLE





MILL & FILL



FULL DEPTH PAVEMENT REPLACEMENT



APPROXIMATE LOCATION, TO BE FIELD DETERMINED



NO	REVISION	DATE

VILLAGE OF HARTVILLE
CONTRACT A
PAVING PROGRAM

STARK COUNTY

VILLAGE OF HARTVILLE, OHIO

ISSUED FOR:	REVIEW
ISSUE DATE:	MAY 2025
SCALE:	AS NOTED
DESIGNED BY:	JCR
DRAWN BY:	JCR
CHECKED BY:	SAA

ROBSON AVE & ALLEYS

PROJECT NO.	
23010503	
DISCIPLINE	
CIVIL	
SHEET NAME	
ROB	
SHEET	OF
8	8