



LINCOLN HEIGHTS STREET RESURFACING  
LINCOLN HEIGHTS , OHIO

PROJECT: 241776

DATE: 3/24/2025

QUANTITIES

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
JACKSON STREET (2450' x VARIES')				
1	201	CLEARING AND GRUBBING	1	LS
2	202	REMOVE EXISTING CONCRETE DRIVE APRON	1020	SF
3	253*	FULL DEPTH PAVEMENT REPAIR (10%)	690	SY
4	253*	GRAVEL BASE, 6" DGA FOR SUBGRADE REPAIR (INCLUDES EXCAVATION AND DISPOSAL OF UNSUITABLE MATERIALS)	115	CY
5	254	ASPHALT PAVEMENT MILLING (3")	6870	SY
6	441	ASPHALT CONCRETE LEVELING COURSE, TYPE 1, PG 64-22 (448) (1.5")	290	CY
7	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG 64-22 with FIBER REINFORCEMENT (448) (1.5")	290	CY
8	SPL	TRACKLESS TACK COAT (0.1 GAL/SY)	690	GAL
9	452	6" CONCRETE APRON/DRIVEWAY REPLACEMENT	5610	SF
10	608	4" CONCRETE SIDEWALK REPLACEMENT	7190	SF
11	608	ADA CURB RAMP W/ DETECTABLE WARNINGS	6	EACH



LINCOLN HEIGHTS STREET RESURFACING  
LINCOLN HEIGHTS , OHIO

PROJECT: 241776

DATE: 3/24/2025

QUANTITIES

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
12	609	ROLLED CURB AND GUTTER REPLACEMENT	3090	LF
13	611	REMOVE AND REPLACE TOP FRAME AND CASTINGS ON INLET, COMPLETE REBUILD (D.G.I)(TYPE "L" GRATE)	11	EACH
14	611	REMOVE AND REPLACE TOP FRAME AND CASTINGS ON INLET, COMPLETE REBUILD (CB-3A)(TYPE "L" GRATE)	1	EACH
15	614	MAINTENANCE OF TRAFFIC	1	LS
16	624	MOBILIZATION	1	LS
17	642	STOP BAR, 24" WHITE PAINT	120	LF
18	642	CROSSWALK MARKINGS, WHITE PAINT, PER DETAIL	310	LF
19	SPL	EROSION & WATER POLLUTION CONTROL	1	LS
20	SPL	SANITARY MANHOLE, ADJUSTED TO GRADE	7	EACH
21	SPL	STORM MANHOLE, ADJUSTED TO GRADE	8	EACH
22	SPL	WATER VALVE / MANHOLE, ADJUSTED TO GRADE	14	EACH



LINCOLN HEIGHTS STREET RESURFACING  
LINCOLN HEIGHTS , OHIO

PROJECT: 241776

DATE: 3/24/2025

QUANTITIES

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
ADAMS STREET (2050' x 30')				
1	201	CLEARING AND GRUBBING	1	LS
2	202	REMOVE EXISTING CONCRETE DRIVE APRON	460	SF
3	202	REMOVE EXSTING CROSSWALK MARKINGS	1	EACH
4	253*	FULL DEPTH PAVEMENT REPAIR (10%)	745	SY
5	253*	GRAVEL BASE, 6" DGA FOR SUBGRADE REPAIR (INCLUDES EXCAVATION AND DISPOSAL OF UNSUITABLE MATERIALS)	125	CY
6	254	ASPHALT PAVEMENT MILLING (3")	7410	SY
7	441	7.5" ASPHALT APRON/DRIVEWAY REPLACEMENT	550	SF
8	441	ASPHALT CONCRETE LEVELING COURSE, TYPE 1, PG 64-22 (448) (1.5")	310	CY
9	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG 64-22 with FIBER REINFORCEMENT (448) (1.5")	310	CY
10	SPL	TRACKLESS TACK COAT (0.1 GAL/SY)	750	GAL
11	452	6" CONCRETE APRON/DRIVEWAY REPLACEMENT	3060	SF
12	608	4" CONCRETE SIDEWALK REPLACEMENT	5340	SF
13	608	ADA CURB RAMP W/ DETECTABLE WARNINGS	5	EACH



LINCOLN HEIGHTS STREET RESURFACING  
LINCOLN HEIGHTS , OHIO

PROJECT: 241776

DATE: 3/24/2025

QUANTITIES

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
14	609	ROLLED CURB AND GUTTER REPLACEMENT	2800	LF
15	609	ODOT TYPE 6 CURB REPLACEMENT	50	LF
16	611	REMOVE AND REPLACE TOP FRAME AND CASTINGS ON INLET, COMPLETE REBUILD (S.G.I)(TYPE "L" GRATE)	1	EACH
17	611	REMOVE AND REPLACE TOP FRAME AND CASTINGS ON INLET, COMPLETE REBUILD (D.G.I)(TYPE "L" GRATE)	18	EACH
18	614	MAINTENANCE OF TRAFFIC	1	LS
19	624	MOBILIZATION	1	LS
20	SPL	EROSION & WATER POLLUTION CONTROL	1	LS
21	642	"SCHOOL" PAVEMENT SYMBOL, WHITE PAINT	1	EACH
22	642	CROSSWALK MARKINGS, WHITE PAINT, PER DETAIL	245	LF
23	642	STOP BAR, 24" WHITE PAINT	45	LF
24	SPL	SANITARY MANHOLE, ADJUSTED TO GRADE	8	EACH
25	SPL	STORM MANHOLE, ADJUSTED TO GRADE	8	EACH
26	SPL	WATER VALVE / MANHOLE, ADJUSTED TO GRADE	12	EACH



LINCOLN HEIGHTS STREET RESURFACING  
LINCOLN HEIGHTS , OHIO

PROJECT: 241776

DATE: 3/24/2025

QUANTITIES

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
CAREY STREET (250' x 20')				
1	201	CLEARING AND GRUBBING	1	LS
2	253*	FULL DEPTH PAVEMENT REPAIR (10%)	70	SY
3	253*	GRAVEL BASE, 6" DGA FOR SUBGRADE REPAIR (INCLUDES EXCAVATION AND DISPOSAL OF UNSUITABLE MATERIALS)	15	CY
4	254	ASPHALT PAVEMENT MILLING (3")	690	SY
5	441	ASPHALT CONCRETE LEVELING COURSE, TYPE 1, PG 64-22 (448) (1.5")	30	CY
6	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG 64-22 with FIBER REINFORCEMENT (448) (1.5")	30	CY
7	SPL	TRACKLESS TACK COAT (0.1 GAL/SY)	70	GAL
8	614	MAINTENANCE OF TRAFFIC	1	LS
9	624	MOBILIZATION	1	LS
10	642	CROSSWALK MARKINGS, WHITE PAINT, PER DETAIL	30	LF
11	642	STOP BAR, 24" WHITE PAINT	12	LF
12	SPL	EROSION & WATER POLLUTION CONTROL	1	LS
13	SPL	WATER VALVE / MANHOLE, ADJUSTED TO GRADE	4	EACH



LINCOLN HEIGHTS STREET RESURFACING  
LINCOLN HEIGHTS , OHIO

PROJECT: 241776

DATE: 3/24/2025

QUANTITIES

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
MAGEE STREET (250' x VARIES)				
1	201	CLEARING AND GRUBBING	1	LS
2	202	REMOVE ASPHALT CURB	190	LF
3	253*	FULL DEPTH PAVEMENT REPAIR (10%)	75	SY
4	253*	GRAVEL BASE, 6" DGA FOR SUBGRADE REPAIR (INCLUDES EXCAVATION AND DISPOSAL OF UNSUITABLE MATERIALS)	15	CY
5	254	ASPHALT PAVEMENT MILLING (3")	710	SY
6	441	ASPHALT CONCRETE LEVELING COURSE, TYPE 1, PG 64-22 (448) (1.5")	30	CY
7	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG 64-22 with FIBER REINFORCEMENT (448) (1.5")	30	CY
8	SPL	TRACKLESS TACK COAT (0.1 GAL/SY)	80	GAL
9	452	6" CONCRETE APRON/DRIVEWAY REPLACEMENT	100	SF



LINCOLN HEIGHTS STREET RESURFACING  
LINCOLN HEIGHTS , OHIO

PROJECT: 241776

DATE: 3/24/2025

QUANTITIES

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
10	609	PROPOSED ROLLED CURB AND GUTTER	230	LF
11	611	REMOVE AND REPLACE TOP FRAME AND CASTINGS ON INLET, COMPLETE REBUILD (D.G.I)(TYPE "L" GRATE)	2	EACH
12	614	MAINTENANCE OF TRAFFIC	1	LS
13	624	MOBILIZATION	1	LS
14	SPL	EROSION & WATER POLLUTION CONTROL	1	LS
15	642	"SCHOOL" PAVEMENT SYMBOL, WHITE PAINT	1	EACH
16	642	CROSSWALK MARKINGS, WHITE PAINT, PER DETAIL	35	LF
17	642	STOP BAR, 24" WHITE PAINT	12	LF
18	SPL	GAS VALVE / BOX, ADJUSTED TO GRADE	1	EACH



LINCOLN HEIGHTS STREET RESURFACING  
LINCOLN HEIGHTS , OHIO

PROJECT: 241776

DATE: 3/24/2025

QUANTITIES

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
CHESTER ROAD SIDEWALK (300')				
1	201	CLEARING AND GRUBBING	1	LS
2	452	6" CONCRETE APRON/DRIVEWAY REPLACEMENT	440	SF
3	608	PROPOSED 4" CONCRETE SIDEWALK	950	SF
4	609	6" VERTICAL CURB AND GUTTER REPLACEMENT	120	LF
5	611	REMOVE AND REPLACE TOP FRAME AND CASTINGS ON INLET, COMPLETE REBUILD (CB-3A)(TYPE "L" GRATE)	1	EACH
6	614	MAINTENANCE OF TRAFFIC	1	LS
7	624	MOBILIZATION	1	LS
8	638	FIRE HYDRANT, REMOVE AND RELOCATE	1	EACH
9	SPL	EROSION & WATER POLLUTION CONTROL	1	LS
10	SPL	GAS VALVE / BOX, ADJUSTED TO GRADE	1	EACH