

FORT WRIGHT 2025 PAVEMENT RESURFACING
 FORT WRIGHT, KENTUCKY



PROJECT: 242338

DATE: 1/16/25
 BID TAB

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
PART A - GENERAL DRIVE - AMSTERDAM TO CUL-DE-SAC (4185' x 25' - 23')				
1	110	MOBILIZATION	1	LS
2	112	MAINTENANCE OF TRAFFIC	1	LS
3	212/213	EROSION & WATER POLLUTION CONTROL	1	LS
4	402/403	ASPHALT PAVEMENT LEVELING COURSE (1")	11,300	SY
5	402/403	ASPHALT PAVEMENT SURFACE COURSE W/ ARAMID FIBER REINFORCEMENT (FORTA-FI OR ACE FIBER) (1.5")	11,300	SY
6	408	ASPHALT PAVEMENT MILLING (2.5")	11,300	SY
7	SPL*	FULL DEPTH PAVEMENT REPAIR , AS PER PLAN (10%)	1,130	SY
8	SPL*	GRAVEL BASE, 6" DGA FOR SUBGRADE REPAIR (INCLUDES EXCAVATION AND DISPOSAL OF UNSUITABLE MATERIALS)	200	CY
9	SPL*	6" CONCRETE APRON/DRIVEWAY REPLACEMENT	1200	SF
10	SPL*	6" CONCRETE APRON/DRIVEWAY W/ INTEGRAL CURB REPLACEMENT	900	SF
11	SPL*	4" CONCRETE SIDEWALK WITH INTEGRAL CURB REPLACEMENT	1850	SF
12	505	ADA CURB RAMP W/ DETECTABLE WARNINGS	3	EACH



FORT WRIGHT 2025 PAVEMENT RESURFACING
FORT WRIGHT, KENTUCKY

PROJECT: 242338

DATE: 1/16/25
BID TAB

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
13	SPL*	4" ROLLED CURB AND GUTTER REPLACEMENT	600	LF
14	713	CENTERLINE, 4" SOLID DOUBLE LINE - YELLOW PAINT	95	LF
15	713	NO PARKING, 4" SOLID LINE - YELLOW PAINT	590	LF

FORT WRIGHT 2025 PAVEMENT RESURFACING
FORT WRIGHT, KENTUCKY



PROJECT: 242338

DATE: 1/16/25
BID TAB

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
PART B - PICKETT DR & PICKETT COURT - FORT HENRY TO GENERAL - (2133' x 23')				
1	110	MOBILIZATION	1	LS
2	112	MAINTENANCE OF TRAFFIC	1	LS
3	212/213	EROSION & WATER POLLUTION CONTROL	1	LS
4	402/403	ASPHALT PAVEMENT LEVELING COURSE (1")	5450	SY
5	402/403	ASPHALT PAVEMENT SURFACE COURSE W/ ARAMID FIBER REINFORCEMENT (FORTA-FI OR ACE FIBER) (1.5")	5450	SY
6	408	ASPHALT PAVEMENT MILLING (2.5")	5450	SY
7	SPL*	FULL DEPTH PAVEMENT REPAIR , AS PER PLAN (6%)	545	SY
8	SPL*	GRAVEL BASE, 6" DGA FOR SUBGRADE REPAIR (INCLUDES EXCAVATION AND DISPOSAL OF UNSUITABLE MATERIALS)	90	CY
9	SPL*	6" CONCRETE APRON/DRIVEWAY REPLACEMENT	500	SF
10	SPL*	4" ROLLED CURB AND GUTTER REPLACEMENT	560	LF
11	713	NO PARKING, 4" SOLID LINE - YELLOW PAINT	24	LF

**FORT WRIGHT 2025 PAVEMENT RESURFACING
FORT WRIGHT, KENTUCKY**



PROJECT: 242338

**DATE: 1/16/25
BID TAB**

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
PART C - GEORGE HUSER DRIVE - PARK TO DIXIE - (658' x 24')				
1	110	MOBILIZATION	1	LS
2	112	MAINTENANCE OF TRAFFIC	1	LS
3	203	REMOVE EXISTING SIDEWALK	120	SF
4	212/213	EROSION & WATER POLLUTION CONTROL	1	LS
5	402/403	ASPHALT PAVEMENT LEVELING COURSE (1")	1850	SY
6	402/403	ASPHALT PAVEMENT SURFACE COURSE W/ ARAMID FIBER REINFORCEMENT (FORTA-FI OR ACE FIBER) (1.5")	1850	SY
7	408	ASPHALT PAVEMENT MILLING (2.5")	1850	SY
7	SPL*	FULL DEPTH PAVEMENT REPAIR , AS PER PLAN (10%)	185	SY
8	SPL*	GRAVEL BASE, 6" DGA FOR SUBGRADE REPAIR (INCLUDES EXCAVATION AND DISPOSAL OF UNSUITABLE MATERIALS)	35	CY
9	SPL*	4" CONCRETE SIDEWALK REPLACEMENT	270	SF
10	505	ADA CURB RAMP W/ DETECTABLE WARNINGS	2	EACH



PROJECT: 242338

DATE: 1/16/25
 BID TAB

ITEM NO.	SPEC. NO.	ITEM	Estimated Quantity	Unit of Measure
11	SPL*	4" ROLLED CURB AND GUTTER REPLACEMENT	285	LF
12	713	CENTERLINE, 4" SOLID DOUBLE LINE - YELLOW PAINT	515	LF
13	713	4" SOLID EDGELINE (WHITE PAINT)	1175	LF
14	717	CROSSWALK MARKINGS, WHITE THERMOPLASTIC	160	LF
15	717	STOP BAR, 24" WHITE THERMOPLASTIC, PER DETAIL	40	LF
16	SPL*	YARD RESTORATION (4" TOPSOIL, SEED AND MULCH)	20	SY