



2025 CITY FOREST PARK STREET PROGRAM
CEDARCREEK, MANDARIN, NETHERLAND, INDRA, GALLITIN
CITY OF FOREST PARK, HAMILTON COUNTY, OHIO

DATE: 3/24/25
PROJECT: 250070

Item No.	Spec. No.	Item	Estimated Quantity	Unit of Measure
CEDARCREEK DRIVE				
1	253	* PAVEMENT REPAIR, AS PER PLAN	50	SY
2	254	PAVEMENT PLANING, ASPHALT CONCRETE (2-1/2" FULL WIDTH)	1550	SY
3	407	TRACKLESS TACK COAT, AS PER PLAN	93	GAL
4	441	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, (448) (1")	47	CY
5	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG64-22, (448) (1-1/2")	71	CY
6	441	ASPHALT CONCRETE MISC.: 1/2" STRESS ABSORBING MEMBRANE INTERLAYER, (SAMI), TYPE 1	1550	SY
7	441	ASPHALT CONCRETE MISC.: ASPHALT REJUVENATING AGENT	1550	SY
8	614	MAINTAINING TRAFFIC	1	LS
9	608	SPOT CURB AND GUTTER REMOVE AND REPLACE	240	LF
10	609	ADA COMPLIANT CURB RAMP REPLACEMENT	425	SF
11	SPL	SANITARY MANHOLE ADJUSTED TO GRADE	4	EA
12	611	FURNISH NEW CURB PLATE, S.G.I. AS PER PLAN	4	EA
13	611	* CATCH BASIN - SINGLE GRATE INLET - REBUILD TOP 18" USING PRECAST TOP	4	EA
14	611	FURNISH NEW GRATE, AS PER PLAN	4	EA
15	644	STOP LINE, 24" WHITE THERMOPLASTIC	30	LF
16	653	* TOPSOIL FURNISHED AND PLACED	50	CY
17	659	* REPAIR SEEDING AND MULCHING	500	SY
18	659	* WATER	10	M/GAL
MANDARIN COURT				
19	253	* PAVEMENT REPAIR, AS PER PLAN	50	SY
20	254	PAVEMENT PLANING, ASPHALT CONCRETE (2-1/2" FULL WIDTH)	1760	SY
21	407	TRACKLESS TACK COAT, AS PER PLAN	106	GAL
22	441	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, (448) (1")	55	CY
23	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG64-22, (448) (1-1/2")	85	CY
24	441	ASPHALT CONCRETE MISC.: 1/2" STRESS ABSORBING MEMBRANE INTERLAYER, (SAMI), TYPE 1	1760	SY



2025 CITY FOREST PARK STREET PROGRAM
CEADERCREEK, MANDARIN, NETHERLAND, INDRA, GALLITIN
CITY OF FOREST PARK, HAMILTON COUNTY, OHIO

DATE: 3/24/25
PROJECT: 250070

25	441	ASPHALT CONCRETE MISC.: ASPHALT REJUVENATING AGENT	1760	SY
26	SPL	SANITARY MANHOLE ADJUSTED TO GRADE	9	EA
27	608	* CURB AND GUTTER REMOVE AND REPLACE	250	LF
28	609	ADA COMPLIANT CURB RAMP REPLACEMENT	425	SF
29	614	MAINTAINING TRAFFIC	1	LS
30	644	STOP LINE, 24" WHITE THERMOPLASTIC	15	LF
31	644	DOUBLE CENTERLINE, 4" YELLOW THERMOPLASTIC	60	LF
32	644	CROSSWALK STRIPING, 12" WHITE THERMOPLASTIC	72	LF
33	611	FURNISH NEW CURB PLATE, S.G.I. AS PER PLAN	1	EA
34	611	* CATCH BASIN - SINGLE GRATE INLET - REBUILD TOP 18" USING PRECAST TOP	1	EA
35	611	* CATCH BASIN - DOUBLE GRATE INLET - REBUILD TOP 18" USING PRECAST TOP	1	EA
36	611	FURNISH NEW CURB PLATE, D.G.I. AS PER PLAN	1	EA
37	611	* FURNISH NEW GRATE, AS PER PLAN	3	EA
38	632	DETECTOR LOOP (POWER HEAD)	1	EA
39	632	LOOP DETECTOR TIE-IN	1	EA
40	653	* TOPSOIL FURNISHED AND PLACED	50	CY
41	659	* REPAIR SEEDING AND MULCHING	500	SY
42	659	* WATER	10	M/GAL
NETHERLAND COURT				
43	253	* PAVEMENT REPAIR, AS PER PLAN	50	SY
44	254	PAVEMENT PLANING, ASPHALT CONCRETE (2-1/2" FULL WIDTH)	2050	SY
45	407	TRACKLESS TACK COAT, AS PER PLAN	123	GAL
46	441	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, (448) (1")	63	CY
47	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG64-22, (448) (1-1/2")	94	CY
48	441	ASPHALT CONCRETE MISC.: 1/2" STRESS ABSORBING MEMBRANE INTERLAYER, (SAMI), TYPE 1	2050	SY
49	441	ASPHALT CONCRETE MISC.: ASPHALT REJUVENATING AGENT	2050	SY
50	SPL	SANITARY MANHOLE ADJUSTED TO GRADE	1	EA
51	608	* CURB AND GUTTER REMOVE AND REPLACE	100	LF



**2025 CITY FOREST PARK STREET PROGRAM
CEADERCREEK, MANDARIN, NETHERLAND, INDRA, GALLITIN
CITY OF FOREST PARK, HAMILTON COUNTY, OHIO**

DATE: 3/24/25
PROJECT: 250070

52	609	ADA COMPLIANT CURB RAMP REPLACEMENT	150	SF
53	614	MAINTAINING TRAFFIC	1	LS
54	611	FURNISH NEW CURB PLATE, S.G.I. AS PER PLAN	4	EA
55	611	* CATCH BASIN - SINGLE GRATE INLET - REBUILD TOP 18" USING PRECAST TOP	4	EA
56	611	* FURNISH NEW GRATE, AS PER PLAN	4	EA
57	653	* TOPSOIL FURNISHED AND PLACED	50	CY
58	659	* REPAIR SEEDING AND MULCHING	500	SY
59	659	* WATER	10	M/GAL

INDRA COURT

60	253	* PAVEMENT REPAIR, AS PER PLAN	60	SY
61	254	PAVEMENT PLANING, ASPHALT CONCRETE (2-1/2" FULL WIDTH)	2150	SY
62	407	TRACKLESS TACK COAT, AS PER PLAN	129	GAL
63	441	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, (448) (1")	66	CY
64	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG64-22, (448) (1-1/2")	99	CY
65	441	ASPHALT CONCRETE MISC.: 1/2" STRESS ABSORBING MEMBRANE INTERLAYER, (SAMI), TYPE 1	2150	SY
66	441	ASPHALT CONCRETE MISC.: ASPHALT REJUVENATING AGENT	2150	SY
67	SPL	SANITARY MANHOLE ADJUSTED TO GRADE	4	EA
68	608	* CURB AND GUTTER REMOVE AND REPLACE	320	LF
69	609	ADA COMPLIANT CURB RAMP REPLACEMENT	230	SF
70	614	MAINTAINING TRAFFIC	1	LS
71	644	STOP LINE, 24" THERMOPLASTIC	15	LF
72	611	* CATCH BASIN - DOUBLE GRATE INLET - REBUILD TOP 18" USING PRECAST TOP	2	EA
73	611	FURNISH NEW CURB PLATE, D.G.I. AS PER PLAN	2	EA
74	611	* FURNISH NEW GRATE, AS PER PLAN	4	EA
75	653	* TOPSOIL FURNISHED AND PLACED	50	CY
76	659	* REPAIR SEEDING AND MULCHING	500	SY
77	659	* WATER	10	M/GAL

GALLITIN COURT



2025 CITY FOREST PARK STREET PROGRAM
CEADERCREEK, MANDARIN, NETHERLAND, INDRA, GALLITIN
CITY OF FOREST PARK, HAMILTON COUNTY, OHIO

DATE: 3/24/25
 PROJECT: 250070

78	253	* PAVEMENT REPAIR, AS PER PLAN	50	SY
79	254	PAVEMENT PLANING, ASPHALT CONCRETE (2-1/2" FULL WIDTH)	1925	SY
80	407	TRACKLESS TACK COAT, AS PER PLAN	116	GAL
81	441	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, (448) (1")	59	CY
82	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG64-22, (448) (1-1/2")	88	CY
83	441	ASPHALT CONCRETE MISC.: 1/2" STRESS ABSORBING MEMBRANE INTERLAYER, (SAMI), TYPE 1	1925	SY
84	441	ASPHALT CONCRETE MISC.: ASPHALT REJUVENATING AGENT	1925	SY
85	SPL	SANITARY MANHOLE ADJUSTED TO GRADE	4	EA
86	608	* CURB AND GUTTER REMOVE AND REPLACE	600	LF
87	609	ADA COMPLIANT CURB RAMP REPLACEMENT	325	SF
88	614	MAINTAINING TRAFFIC	1	LS
89	644	STOP LINE, 24" THERMOPLASTIC	15	LF
90	611	FURNISH NEW CURB PLATE, S.G.I. AS PER PLAN	2	EA
91	611	* CATCH BASIN - SINGLE GRATE INLET - REBUILD TOP 18" USING PRECAST TOP	2	EA
92	611	* CATCH BASIN - DOUBLE GRATE INLET - REBUILD TOP 18" USING PRECAST TOP	2	EA
93	611	FURNISH NEW CURB PLATE, D.G.I. AS PER PLAN	2	EA
94	611	* FURNISH NEW GRATE, AS PER PLAN	6	EA
95	653	* TOPSOIL FURNISHED AND PLACED	50	CY
96	659	* REPAIR SEEDING AND MULCHING	500	SY
97	659	* WATER	10	M/GAL